

The Emerging Risk of Fatal Motorcycle Crashes with Guardrails

Hampton C. Gabler

Associate Professor
Department of Mechanical Engineering
Virginia Tech Center for Injury Biomechanics
100 F Randolph Hall, MC 0238
Blacksburg, VA 24061
Phone: (540) 231 – 7190
Fax: (540) 231 – 2953
E-Mail: gabler@vt.edu

Word Count: 3,409 (including figures and tables)

Revised 1-24-2007

Abstract

The objective of this study is to examine the issue of fatal motorcycle collisions with guardrail based on U.S. accident statistics. Motorcycle crashes were found to be the leading source of fatalities in guardrail crashes. In 2005 for the first time, motorcycle riders suffered more fatalities (224) than the passengers of cars (171) or any other single vehicle type involved in a guardrail collision. In terms of fatalities per registered vehicle, motorcycle riders are dramatically overrepresented in number of fatalities resulting from guardrail impacts. Motorcycles compose only 2% of the vehicle fleet, but account for 42% of all fatalities resulting from guardrail collisions. Motorcycle-guardrail crash fatalities are a growing problem. From 2000-2005, the number of car occupants who were fatally injured in guardrail collisions declined by 31% from 251 to 171 deaths. In contrast, the number of motorcyclists fatally-injured in guardrail crashes increased by 73% from 129 to 224 fatalities during the same time period. Over two-thirds of motorcycle riders who were fatally injured in a guardrail crash were wearing a helmet. Approximately, one in ten motorcyclists striking a guardrail were fatally injured – a fatality risk over 80 times higher than for car occupants involved in a collision with a guardrail.

INTRODUCTION

Motorcyclists are vulnerable highway users. Unlike passenger vehicle occupants, motorcycle riders have neither the protective structural cage nor the advanced restraints which are commonplace in cars and light trucks. Previous research has shown that motorcycle crashes into roadside barrier are particularly dangerous. In one of the earliest studies on this issue, Ouelett (1982) investigated the outcome of motorcycle-guardrail crashes drawn from a larger database of approximately 900 motorcycle crashes in the Los Angeles area (Hurt et al, 1981). He reported that motorcycle impacts with guardrail impacts have a much higher fatality risk than motorcycle crashes in general. Other researchers have also noted the increased risk of motorcycle collisions with guardrails (Domham, 1987; Quincy et al, 1988, Gibson and Benetatos, 2000, and Berg et al, 2005).

Because of an upsurge in motorcycle fatalities, the issue of motorcycle safety is receiving renewed attention. As shown in Figure 1, motorcycle registrations in the U.S. are growing at the rate of 7-8% per year. Unfortunately, fatal motorcycle crashes are growing at a comparable rate. Motivated by the growing U.S. motorcycle fleet and number of motorcyclist fatalities, the objective of this study is to examine one facet of this problem – the magnitude and characteristics of fatal motorcycle collisions with guardrail.




Figure 1. U.S. Motorcycle Registrations vs. Crash Fatalities (NHTSA, 2005)

METHODOLOGY AND RESULTS

This study was based on the analysis of the Fatality Analysis Reporting System (FARS) database and the National Automotive Sampling System (NASS) General Sampling System (GES). FARS, a comprehensive census of all traffic related fatalities in the U.S., was analyzed to determine guardrail crash fatality trends. GES was analyzed to determine the number of occupants who were exposed to guardrail crashes. The GES sample included both fatal and non-fatal crashes into guardrail. GES is a comprehensive database containing information on approximately

60,000 randomly sampled police reported accidents each year. Cases from GES are assigned weights that can be used to estimate the number of similar accidents that may have taken place that year that were not sampled. Because GES is a sample of police reported accidents, NHTSA (2000) notes that GES estimates are subject to both sampling and non-sampling errors. In both FARS and GES, a guardrail collision was defined to be a crash in which the most harmful event was a collision with a guardrail.

Prior to 2004, FARS aggregated guardrail length of need and guardrail end treatments into a single guardrail category. It was therefore not possible in FARS to identify which portion of the guardrail system was struck. For example, it was not possible to determine differential fatality risk in guardrail length of need versus guardrail end treatments. Beginning in 2004, FARS began to code guardrail ‘face’ separately from guardrail ‘end’. However, because only two years from our 16 year dataset contains this distinction, both guardrail categories from FARS 2004-2005 data were aggregated into a single guardrail group.

RESULTS

Figure 2 presents the distribution of fatalities by vehicle body type in collisions in which a guardrail impact was the most harmful event. The distribution of fatalities was obtained from FARS 2005. The distribution of vehicle registrations was obtained from 2004 vehicle registration data, the most recent data available for this analysis.




Figure 2. Guardrail Crash Fatalities vs. Registrations by Vehicle Body Type (FARS 2005; NHTSA, 2005)

In absolute numbers, motorcycle riders now account for more fatalities than the passengers of any other vehicle type involved in a guardrail collision. As shown in Figure 2, motorcycle riders accounted for 42% of all fatalities resulting for a guardrail collision in 2005. Following motorcycle riders were car occupants with 32% of all fatalities in this crash mode. This was a particularly surprising finding as cars compose over half of the vehicle fleet (56%)

while motorcycles comprise only 2% of the registered vehicles. The occupants of light trucks and vans (LTVs), a category which includes pickup trucks, sport utility vehicles, minivans, and full sized vans, trailed car occupants with 22% of the guardrail crash fatalities and 30% of the registered vehicles in 2005. In terms of fatalities per registered vehicle, motorcycle riders are dramatically overrepresented in number of fatalities resulting from guardrail impacts.

As shown in Figure 3, the problem of motorcycle fatalities in guardrail collisions is a growing problem. From 2000-2005, the number of car occupants who were fatally injured in guardrail collisions declined by 31% from 251 deaths in 2001 to 171 deaths in 2005. In contrast, the number of fatally-injured motorcyclists increased by 73% from 129 to 224 fatalities during the same time period. In 2000, fatalities from motorcycle-guardrail collisions exceeded the number of deaths from LTV-guardrail collisions. In 2005, motorcyclist rider fatalities (224) resulting from guardrail collisions surpassed car fatalities (171) for the first time.




Figure 3. Motorcycle Rider Fatalities Exceeded Car Occupant Fatalities in Guardrail Crashes for the first time in 2005 (FARS 1991-2005)

PROBABILITY OF FATALITY

To analyze the risk of fatal motorcycle crashes with guardrail, the probability of fatality in this collision mode was computed as a function of vehicle body type. For this study, fatality risk was defined as shown below:

$$FatalityRisk = \frac{NumberOfFatalities}{NumberOfExposedOccupants}$$

The number of persons who were fatally injured in guardrail collisions was obtained from FARS 2000-2005. The number of occupants who were exposed to guardrail collisions was obtained from GES 2000-2005. In both databases, a guardrail collision was defined to be a crash in which the most harmful event was a collision with a

guardrail. Table 1 presents the average annual number of fatalities and exposed occupants during this five year time period.

Table 1. Fatality Risk in Guardrail Collisions by Body Type from 2000-2005 (GES, FARS)

Vehicle Type	Number of Occupants exposed to Guardrail Collisions	Number of Fatalities from Guardrail Collisions	Fatality Risk	Relative Fatality Risk compared with Car Occupants
Cars	855,900	1,309	0.15%	1.0
LTV	260,200	699	0.27%	1.8
Motorcycles	8,100	1,003	12.4%	81.1

Approximately one of every eight motorcyclists who struck a guardrail were fatally injured. This fatality risk is substantially higher than incurred by either car or LTV occupants. Only one to two of every 1000 car occupants were fatally injured in a crash with a guardrail. Another way to consider this risk is by comparison to the relative risk to which car occupants are exposed in guardrail crashes. In Table 1, a relative fatality risk was computed for each vehicle body type category as shown below:

$$\text{Relative Fatality Risk} = \frac{\text{FatalityRiskforSubjectVehicleType}}{\text{FatalityRiskforCarOccupants}}$$

In a guardrail collision, motorcycle riders have a risk of fatality over 80 times greater than car occupants. LTV occupants have 1.8 times the risk of fatality of a car occupant. In a guardrail collision, there is little to protect a motorcyclist from injury. The vehicle structure and occupant restraints which could protect a car or LTV occupant are simply not present in current motorcycle designs.

EFFECT OF HELMET USE

One method of protecting motorcyclist in crashes is the use of a helmet. Figure 4 shows that in 2005 over two-thirds of all motorcycle riders who were fatally injured in guardrail crashes were wearing their helmets. This helmet use rate is slightly higher than the helmet use rate for motorcyclists in all fatal crashes (55%). Unfortunately, motorcycle helmets do not appear to completely protect motorcycle riders against fatality in guardrail crashes. Presumably, helmets reduce the incidence of head injury in guardrail crashes. However, even if the national motorcycle helmet usage rate was 100%, Figure 4 shows that motorcycle collisions with guardrail would still result in fatalities.




Figure 4. Distribution of Motorcycle Fatalities by Helmet Use in 2005

IMPLICATIONS

Motorcyclists are vulnerable highway users, particularly in guardrail crashes. Because of a lack of protective equipment, motorcycle riders are exposed to a much greater risk of death in a crash than are passenger vehicle occupants. This study has shown that in terms of fatalities per registered vehicle motorcycle riders are over-represented in fatalities in guardrail crashes. Motorcycle rider fatalities exceeded car occupant fatalities in guardrail crashes for the first time in 2005.

Crash testing of roadside barriers under NCHRP 350 (Ross et al, 1993) has led to a remarkably low number of fatalities for passenger vehicle occupants involved in guardrail collisions. Motorcycle riders however have not enjoyed the same benefit. Even if a future guardrail system were implemented which eliminated all passenger vehicle-guardrail fatalities, over 40% of all guardrail fatalities in 2005 would remain unless the motorcycle-to-guardrail collision problem is remediated. A possible solution are motorcycle-friendly guardrail systems, developed and tested by groups in both Europe and Australia, which have the potential to mitigate the consequences of a motorcycle-guardrail collision. Berg et al (2005) provides examples of these systems.

Motorcycle-guardrail crash fatalities are an unmet and growing safety problem in the U.S. Motorcycle-based countermeasures being developed by motorcycle manufacturers may provide part of the solution to this problem, but are likely to be of limited success as demonstrated by the failure of helmets to protect completely against fatality. In conjunction with these motorcycle-based countermeasures, there is a critical need to adopt improved barrier designs to protect these vulnerable road users.

CONCLUSIONS

This paper has examined the risk of fatality in motorcycle collisions with guardrails. The conclusions of this study are as follows:

1. Motorcycle crashes are the leading source of fatalities in guardrail crashes in the U.S. In 2005 for the first time, motorcycle riders suffered more fatalities (224) than the passengers of cars (171) or any other single vehicle type involved in a guardrail collision.
2. In terms of fatalities per registered vehicle, motorcycle riders are dramatically overrepresented in number of fatalities resulting from guardrail impacts. In 2005, motorcycles composed only 2% of the vehicle fleet, but accounted for 42% of all fatalities resulting from guardrail collisions..
3. Over two-thirds of motorcycle riders who were fatally injured in a guardrail crash were wearing a helmet.
4. Motorcycle-guardrail crash fatalities are a growing problem. From 2000-2005, the number of car occupants who were fatally injured in guardrail collisions declined by 31% from 251 to 171 deaths. In contrast, the number of fatally-injured motorcyclists increased by 73% from 129 to 224 fatalities during the same time period.
5. Approximately, one in ten motorcyclists striking a guardrail will be fatally injured – a fatality risk over 80 times higher than for car occupants involved in a collision with a guardrail.
6. Motorcycle-guardrail crash fatalities are an unmet and growing safety problem in the U.S. There is a critical need for the development and / or implementation of new safety programs, advanced barrier designs, and enhanced vehicle-based countermeasures to protect motorcyclists in collisions with guardrails.

REFERENCES

1. Ouellet, J.V., “Environmental Hazards in Motorcycle Accidents”, Proceedings of the 26th Annual Meeting of the American Association for Automotive Medicine, Ottawa, Ontario, Canada , 1982.
2. Hurt, H., Ouellet, J.V., and Thom, D., *Motorcycle Accident Cause Factors and Identification of Countermeasures*, Volume I, DOT Technical Report, Contract No. DOT HS-5-01160, Washington DC, 1981
3. Domham, M. “Crash Barriers and Passive Safety for Motorcyclists”, Proceedings of the Stapp Car Crash Conference, SAE Paper No. 870242, 1987.
4. Quincy, R., Vulin, D., and Mounier, B., “Motorcycle Impacts with Guardrails”, Transportation Research Circular, No. 341, pp. 23-28, 1988.
5. Gibson, T. and Benetatos, E., *Motorcycles and Crash Barriers*, NSW Motorcycle Council Report, 2000.

6. Berg, F.A., Rucker, P., Gartner, M., Konig, J., Grzebieta, R., and Zou, R., "Motorcycle Impacts into Roadside Barriers – Real Word Accident Studies, Crash Tests, and Simulations Carried Out in Germany and Australia", Proceedings of the Nineteenth International Conference on Enhanced Safety of Vehicles", Washington, DC, 2005.
7. Ross, H.E., Sicking, D.L., Zimmer, R.A., and J.D. Michie. *Recommended Procedures for the Safety Performance Evaluation of Highway Features*. NCHRP Report 350, TRB, National Research Council, Washington, D.C., 1993.
8. National Highway Traffic Administration (NHTSA). Traffic Safety Facts 2004: A Compilation of Motor Vehicle Crash Data from the Fatality Analysis Reporting System and the General Estimates System, U.S. Department of Transportation Report, DOT HS 809 919, 2005.
9. National Highway Traffic Safety Administration (NHTSA). National Automotive Sampling System (NASS) General Estimates System (GES) Analytical Users Manual 1988-1999. U.S. Department of Transportation, 2000.